

2019-2020 Core Comfort Flame | Heat Solutions



www.beaubow168.com

總代理：台灣虹麗企業有限公司

服務電話：(04)7721501 . 0935-396358

展示中心：台中市西屯區大墩20街116號3F-2 (歡迎預約參觀)

TABLE OF CONTENTS

Dimplex	1	Infrared Heaters	36
Linear Electric Fireplaces		Baseboards	
IgniteXL®	2-4	Linear Convactor Heaters	37
PRISM Series	5-7	Proportional Convactor Heaters	38
Specifications	8	Fan-forced Heaters	
Opti-V™	9-10	Ceiling-mounted Heater	39
Opti-V™ Aquarium	11	Precision Comfort Heater	40
Opti-V™ Specifications	12	Under Cabinet Heater	41
Built-in Fireboxes		Workshop Heaters	42
Revillusion®	13-15	Thermostats / Controls	43
BF Series	16-17	Cadet	44
Specifications	18	Com-Pak Series	45
Opti-myst®	19	Com-Pak Bath Series	46
Opti-myst® Pro 1500	20	Nectre	47
Opti-myst® Pro 1000	21	N65 Wood Stove	48
Opti-myst® Pro Accessories	22	N350 / N550 Wood-fired Ovens	49
Opti-myst® Cassettes	23-24		
Plug-in Fireboxes			
Multi-Fire XD®	25-26		
PRO Series	27		
Specifications	28		
Logsets	29		
Fireplace Inserts	30		
Mantels			
New for 2019	31		
BuiltRite Series	32		
Fireplace Packages	33-34		
Electric Stoves	35		



Dimplex is the feeling you get when you hit the snooze button and stay under the covers a few minutes longer. It's the comfort found in the moments that matter, like when the kids are down and the feet go up. Our products are the gathering place and focal point that rooms are built around. So whether it's a living room or hotel lobby, bathroom retreat or spa, we can help you design the right comfort solution to create more perfect moments.

We are leaders in design and innovation, continually challenging the status quo on a global scale to create products for the discriminating buyer. Our dozens of patented technologies translate to fireplaces that dazzle the senses and heaters that make spaces more efficient and livable no matter what the need.

Whether residential or commercial space, we design fireplaces that make a style statement. You will appreciate the energy efficiency and treading a little lighter with your eco-footprint, but at the end of the day it's the deep breath that comes naturally when you relax in front of a fireplace.

IgniteXL®

IgniteXL® is our premium linear electric fireplace. Incredibly lifelike and visually stunning, IgniteXL transforms the look and feel of any room. Patented flame and heat technology, a simple, flexible installation, and flawless panoramic views ignite the senses from any angle!

IgniteXL®

Less Frame, More Flame

Clean front face with minimal trim makes the dazzling flames the focal point.

Multi-Fire XD® Flame Effect

Vivid flames that are brighter and more lifelike, day or night.

Comfort\$aver® Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



XLF50 - IgniteXL 50"

Product Dimensions (WxHxD)
51-1/4" x 16-1/2" x 5-7/8"
130.6 cm x 41.9 cm x 14.7 cm

Carton Dimensions (WxHxD)
56-3/8" x 21-1/4" x 12"
143.2 cm x 54.0 cm x 30.5 cm

Gross Weight
73.4 lbs / 33.3 kg

UPC
781052 098725



XLF74 - IgniteXL 74"

Product Dimensions (WxHxD)
75-1/2" x 16-1/2" x 5-7/8"
191.6 cm x 41.9 cm x 14.7 cm

Carton Dimensions (WxHxD)
80-3/8" x 21-1/4" x 12"
204.2 cm x 54.0 cm x 30.5 cm

Gross Weight
121.9 lbs / 55.3 kg

UPC
781052 098756



XLF60 - IgniteXL 60"

Product Dimensions (WxHxD)
60-1/4" x 16-1/2" x 5-7/8"
155.5 cm x 41.9 cm x 14.7 cm

Carton Dimensions (WxHxD)
68-3/8" x 21-1/4" x 15"
173.7 cm x 61.6 cm x 38.1 cm

Gross Weight
86.8 lbs / 39.4 kg

UPC
781052 118478



XLF100 - IgniteXL 100"

Product Dimensions (WxHxD)
101-3/8" x 16-1/2" x 5-7/8"
257.6 cm x 39.6 cm x 14.7 cm

Carton Dimensions (WxHxD)
106-3/8" x 21-1/4" x 15"
270.2 cm x 54.0 cm x 30.5 cm

Gross Weight
170.4 lbs / 77.4 kg

UPC
781052 104594

IgniteXL®




Color Themes



Touch Controls



Remote Control



Accessories



Driftwood & River Rock Accessory Kit

Fireplace	Model #
XLF50	- LF50DWS-KIT
XLF60	- LF74DWS-KIT
XLF74	- LF74DWS-KIT
XLF100	- LF100DWS-KIT



Metal Trim Kit

Allows for installation into 2' x 4' wall construction

Fireplace	Model #
XLF50	- XLFTRIM50
XLF60	- XLFTRIM60
XLF74	- XLFTRIM74
XLF100	- XLFTRIM100

PRISM Series

Named after its Prism flame effect, this line of linear electric fireplaces sparkles with intensity in a full spectrum of red, green and blue colors which illuminates the diamond-like acrylic ice ember bed in a show-stopping effect. Complete with a powerful and efficient fan-forced heater, Prism adds comfort and ambiance to any space. Plugged in or hardwired, hung on the wall or built-in, Prism fireplaces are beautifully versatile.

PRISM Series

Customizable Color Themes



Choose from seven brilliant color themes or cycle through a range of colors using the prism mode, freezing on the hue of your choice.

LED Flame Technology

A blend of technology, artistry and craftsmanship that sets the standard for realism.

Flexible Installation

Choose partially-recessed, fully-recessed or surface mounted (plug-in) installation.




BLF3451 - PRISM 34"

Product Dimensions (WxHxD)
34-1/4" x 19-1/2" x 7-1/4"
86.7 cm x 49.5 cm x 18.1 cm

Carton Dimensions (WxHxD)
39" x 23-1/4" x 13"
99.1 cm x 58.9 cm x 33.0 cm

Gross Weight **UPC**
60 lbs / 27.2 kg 781052 098763



BLF5051 - PRISM 50"

Product Dimensions (WxHxD)
50-3/8" x 19-1/2" x 7-3/8"
127.5 cm x 49.4 cm x 18.5 cm

Carton Dimensions (WxHxD)
55" x 23-1/4" x 12-7/8"
139.7 cm x 58.9 cm x 32.7 cm

Gross Weight **UPC**
75 lbs / 34.1 kg 781052 098787



BLF7451 - PRISM 74"

Product Dimensions (WxHxD)
74-1/4" x 19-1/2" x 7-1/4"
188.3 cm x 49.3 cm x 18.3 cm

Carton Dimensions (WxHxD)
77-1/2" x 22-1/2" x 14-7/8"
196.9 cm x 57.2 cm x 37.5 cm

Gross Weight **UPC**
136 lbs / 61.7 kg 781052 098794

PRISM Series



Eight Color Themes



Accessories



Driftwood & River Rock Accessory Kit


Fireplace	Model #
BLF3451	- LF34DWS-KIT
BLF5051	- LF50DWS-KIT
BLF7451	- LF74DWS-KIT



Plug Kit - BLF7451 Only

BLF7451-PLUG-KIT

Remote Control



Specifications

Fireplace Series	Prism Series			IgniteXL® Series			
Model	BLF3451	BLF5051	BLF7451	XLF50	XLF60	XLF74	XLF100
Size	34"	50"	74"	50"	60"	74"	100"
Ember Bed	Acrylic Ice			Acrylic Ice			
Flame Only Mode	Yes			Yes			
Heater Only Mode	Yes			Yes			
Heater Element	Steel Sheathed			Ceramic			
Technology	Original Dimplex Flame Effect™			Multi-Fire XD®			
Installation	Wall- mounted, partially or fully recessed	Wall-mounted, partially or fully recessed	Wall-mounted or fully recessed	Partially or fully recessed			
Volts	120	120	120/240	120/240			
Wattage	1220	1230	1230/2430	1500/2500			
BTU's	4163	4197	4197/8291	5118/8530			
Wiring	Direct wire or Plug-in			Direct wire - includes plug kit			
Heating Range	Up to 1,000 sq. ft.			Up to 1,000 sq. ft.			
Display/Controls	Floating on-screen display shows temperatures and feature setting at a glance			Built-in display and touch controls			
Flame Operation Energy Savings	Low energy LED's that require zero maintenance			Low energy LED's that require zero maintenance			
Heat Operation Energy Savings	Fan-forced			ComfortSaver® heating system			
Timer	Yes			Yes			
Interior Surround	Mirror			Mirror			
Adjustable Flame Speed	No			No			
Brightness Control	Flame Brightness			Flame Brightness			
Color Settings	Natural, Blue, Green, Purple, Red			Natural, Blue, Green, Purple, Red			
Heat Disable	Controls			Controls & Hard Disconnect			
Remote Features	Multi-function			Multi-function			
Warranty	2-year limited			5-year limited			
Accessories	LF34DWS-KIT	LF50DWS-KIT DT1267BLK	LF74DWS-KIT BLF7451-PLUG-KIT	XLFTRIM50, LF50DWS-KIT	XLFTRIM60, LF74DWS-KIT	XLFTRIM74, LF74DWS-KIT	XLFTRIM100, LF100WS-KIT
Dimensions (WxHxD)	34-1/2" x 19-1/2" x 7-1/4" 86.7 cm x 49.4 cm x 18.1 cm	50-3/8" x 19-1/2" x 7-3/8" 127.5 cm x 49.4 cm x 18.5 cm	74-1/4" x 19-1/2" x 7-1/4" 188.3 cm x 49.3 cm x 18.3 cm	51-1/2" x 16-1/2" x 5-7/8" 130.6 cm x 41.9 cm x 14.7 cm	60-1/4" x 16-1/2" x 5-7/8" 155.5 cm x 41.9 cm x 14.7 cm	75-1/2" x 16-1/2" x 5-7/8" 191.6 cm x 41.9 cm x 14.7 cm	101-3/8" x 16-1/2" x 5-7/8" 257.6 cm x 41.9 cm x 14.7 cm

Opti-V™

Opti-V™ blends 3D technology with magic and innovation to create a virtual experience like no other. Choose between the linear electric fireplace with flickering flames and glowing logs or the Opti-V™ Aquarium with bubbling water and 3D fish.

Opti-V™

Opti-V™ Flame Effect


High definition video and a patented three-dimensional illusion creates dazzling flames that flicker between the logs.

Heat-free Operation

Designed with the sole purpose of providing a stunning visual flame feature.

Sight and Sound Remote

Turn on the flames and crackling sound effects at the touch of a button.



VF2927L - Opti-V Solo

Product Dimensions (WxHxD)
30" x 17-3/4" x 14"
76.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)
33-7/8" x 22-1/8" x 17-3/4"
86.0 cm x 56.0 cm x 45.0 cm

Gross Weight
63 lbs / 28.6 kg

UPC
781052 092877



VF5452L - Opti-V Duet


Product Dimensions (WxHxD)
54-3/8" x 17-3/4" x 14"
138.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)
62-1/4" x 22-1/8" x 17-3/4"
158/0 cm x 56.0 cm x 45.0 cm


Gross Weight
115.5 lbs / 52.4 kg

UPC
781052 092853

Remote Control



Accessories



OT1957-BLACK - Trim Kit

Product Dimensions (WxHxD)
41-1/8" x 23-5/8" x 1-7/8"
104.5 cm x 60.0 cm x 4.8 cm

Carton Dimensions (WxHxD)
44-7/8" x 27-5/8" x 5-1/2"
114.0 cm x 70.0 cm x 14.0cm

Gross Weight
38.7 lbs / 17.6 kg

UPC
781052 126282

Opti-V™ Aquarium

Virtual Fish

High definition video and a patented three-dimensional illusion creates the soothing effect of a living aquarium.

Maintenance-free Operation

Eliminates the time and cost required to feed fish and clean the tank.

Reduces Liability

Ideal for public spaces in commercial installations; meets the strictest building codes.



VFA2927 - Opti-V Aquarium

Product Dimensions (WxHxD)
30" x 17-3/4" x 14"
76.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)
33-7/8" x 22-1/8" x 17-3/4"
86.0 cm x 56.0 cm x 45.0 cm

Gross Weight
63 lbs / 28.6 kg

UPC
781052 092877

VFA2927P - Opti-V Aquarium (Plug-in)

Accessories



OT1957-BLUE - Trim Kit

Product Dimensions (WxHxD)
41-1/8" x 23-5/8" x 1-7/8"
104.5 cm x 60.0 cm x 4.8 cm

Carton Dimensions (WxHxD)
44-7/8" x 27-5/8" x 5-1/2"
114.0 cm x 70.0 cm x 14.0cm

Gross Weight
38.7 lbs / 17.6 kg

UPC
781052 123885



GOSA-1957B - Opti-V Aquarium Kit


Product Dimensions (WxHxD)
41-1/8" x 62-1/2" x 15-1/2"
104.5 cm x 158.6 cm x 39.5 cm

Carton Dimensions (WxHxD)
44-7/8" x 64-7/8" x 19-3/8"
114.0 cm x 164.5 cm x 49.0 cm

Gross Weight **UPC**
187 lbs / 85.0 kg 781052 123885

OMA-1957B - Case only

Remote Control



Specifications

Fireplace Series	Opti-V™		Opti-V™ Aquarium	
Model	VF2927L	VF5452L	VFA2927	VFA2927P
Size	30"	54"	30"	
Ember Bed	Opti-V Flame - High Definition Video		Opti-V Flame - High Definition Video	
Flame Only Mode	Yes		N/A	
Heater Only Mode	NA		N/A	
Heater Element	N/A		N/A	
Technology	Opti-V Flame		Opti-V Virtual Fish	
Installation	Recessed		Recessed	
Volts	120/240		120/240	
Wattage	32/64		32/64	
BTU's	N/A		N/A	
Wiring	Direct wire		Direct wire	Plug-in
Heating Range	N/A		N/A	
Display/Controls	No		No	
Operation Energy Savings	Low energy LED's that require zero maintenance		Low energy LED's that require zero maintenance	
Heat Operation Energy Savings	N/A		N/A	
Timer	No		No	
Interior Surround	Authentic brick-look interior		Aqua Scaping	
Adjustable Flame Speed	N/A		N/A	
Light Settings	Screen brightness control		Screen brightness control	
Color Settings	N/A		N/A	
Heat Disable	N/A		N/A	
Other Features	Crackling sound effect		Bubbling sound effect	
Remote Features	Sight and sound remote		Sight and sound remote	
Warranty	2-year limited		2-year limited	
Optional Media	N/A		N/A	
Accessories	OT1957-BLACK	N/A	OT1957-BLUE OT1957-BLACK	
Dimensions (WxHxD)	30" x 17-3/4" x 14" 76.0 cm x 45.0 cm x 35.5 cm	54-3/8" x 17-3/4" x 14" 138.0 cm x 45.0 cm x 36.5 cm	30" x 17-3/4" x 14" 76.0 cm x 45.0 cm x 35.5 cm	

Revillusion®

Revillusion® is a completely new way of looking at fireplaces, and elevates the standard for electric. Using patented ThruView™ technology, Revillusion lets you look through the lifelike flames to the full depth of the brick interior - a first of its kind among electric fireplaces. The technology is impressive, and the ambiance serene. Enjoy the look of a fireplace cut straight from the pages of a magazine with Revillusion, clearly a better fireplace.

Revillusion®

Revillusion® Flame Technology


Flames are large, bright and more random, appearing from within the logs.

ThruView™ Full-depth Design

See clear through the flames to the back of the firebox for a more authentic experience.

Ambient Light Sensor

Automatically adjusts firebox light to suit the room day to night.



RBF24DLXWC
24" Electric Firebox

Product Dimensions (WxHxD)
25-1/4" x 22-7/8" x 12-1/8"
64.0 cm x 58.1 cm x 30.7 cm

Carton Dimensions (WxHxD)
29-3/8" x 28-1/8" x 16-3/8"
74.4 cm x 71.2 cm x 41.6 cm

Gross Weight
58.2 lbs / 26.4 kg

UPC
781052 120655



RBF30WC
30" Electric Firebox

Product Dimensions (WxHxD)
31-1/4" x 26-5/8" x 12-1/8"
79.2 cm x 67.6 cm x 30.7 cm

Carton Dimensions (WxHxD)
35-1/4" x 31-5/8" x 15"
89.8 cm x 80.4 cm x 38.2 cm

Gross Weight
67.7 lbs / 30.7 kg

UPC
781052 104747



RBF36WC
36" Electric Firebox

Product Dimensions (WxHxD)
37-1/4" x 26-5/8" x 12-1/8"
94.4 cm x 67.6 cm x 30.7 cm

Carton Dimensions (WxHxD)
41-1/4" x 31-7/8" x 15-1/4"
104.6 cm x 81.0 cm x 38.7 cm

Gross Weight
74.9 lbs / 34.0 kg

UPC
781052 104723



RBF36PWC
36" Electric Firebox - Portrait

Product Dimensions (WxHxD)
37-1/4" x 31" x 12-1/8"
94.4 cm x 78.7 x 30.7 cm

Carton Dimensions (WxHxD)
41-1/4" x 35-7/8" x 15-1/4"
104.6 cm x 91.2 cm x 38.7 cm

Gross Weight
81.1 lbs / 36.8 kg

UPC
781052 129863



RBF42WC
42" Electric Firebox

Product Dimensions (WxHxD)
43-1/4" x 31" x 12-1/8"
109.8 cm x 78.8 cm x 30.7 cm

Carton Dimensions (WxHxD)
47-1/2" x 35-7/8" x 15"
120.6 cm x 91.2 cm x 38.2 cm

Gross Weight
88.6 lbs / 40.2 kg

UPC
781052 104716

Also available in Herringbone
RBF24DLX - 24" Electric Firebox
RBF30 - 30" Electric Firebox

RBF36 - 36" Electric Firebox
RBF36P - 36" Electric Firebox
RBF42 - 42" Electric Firebox



Revillusion®



Accessories



Glass Door

Fireplace	Model #
RBF30	- RBFDOOR30
RBF36	- RBFDOOR36
RBF36P	- RBFDOOR36P
RBF42	- RBFDOOR42



Glass Pane


Fireplace	Model #
RBF30	- RBFGLOSS30
RBF36	- RBFGLOSS36
RBF36P	- RBFGLOSS36P
RBF42	- RBFGLOSS42

(Included with RBF24DLX)



Birch Log Set


Fireplace	Model #
RBF24	- RBFL24BR
RBF30	- RBFL30BR
RBF36	- RBFL42BR
RBF36P	- RBFL42BR
RBF42	- RBFL42BR



Fresh Cut Log Set

Fireplace	Model #
RBF24	- RBFL24FC
RBF30	- RBFL30FC
RBF36	- RBFL42FC
RBF36P	- RBFL42FC
RBF42	- RBFL42FC

Remote Control



Installation Trims

RBF24 - 36" Installation Trim RBF24TRIM36	RBF30 - 38" Installation Trim RBF30TRIM38
RBF24 - 40" Installation Trim RBF24TRIM40	RBF30 - 44" Installation Trim RBF30TRIM44



Plug Kit

RBFPLUG

(Included with RBF24DLX)

BF Series

Energy-efficient LED Flames


Our patented technology creates a truly realistic fireplace that you will only find with Dimplex®.

Primary Heating

Connect to a 240 volt supply for up to 9,200 BTU, which is powerful enough to use for primary heating in large spaces.

Ease of Installation

Simply frame, wire and finish with the material of your choice for a custom fireplace that is also cost-effective.



BFSL33
33" Slim Line Electric Firebox

Product Dimensions (WxHxD)
33" x 28-1/4" x 9-1/2"
83.3 cm x 71.9 cm x 24.1 cm

Carton Dimensions (WxHxD)
38-1/8" x 29-3/4" x 13-3/8"
96.8 cm x 75.4 cm x 33.8 cm

Gross Weight
68 lbs / 30.9 kg

UPC
781052 064478



BF33DXP
33" Deluxe Electric Firebox

Product Dimensions (WxHxD)
32-3/4" x 28-1/2" x 14-1/4"
83.2 cm x 73.5 cm x 36.3 cm

Carton Dimensions (WxHxD)
34-3/4" x 31-1/8" x 16-1/2"
88 cm x 79 cm x 42 cm

Gross Weight
80 lbs / 36.4 kg

UPC
781052 045781



BF39STP
39" Electric Firebox

Product Dimensions (WxHxD)
38-3/4" x 32-3/4" x 15-1/4"
98.3 cm x 83.0 cm x 38.9 cm

Carton Dimensions (WxHxD)
39" x 34-1/2" x 17-1/2"
99.1 cm x 87.6 cm x 44.5 cm

Gross Weight
87 lbs / 39.5 kg

UPC
781052 045798



BF39DXP
39" Deluxe Electric Firebox

Product Dimensions (WxHxD)
38-3/4" x 32-3/4" x 15-1/4"
98.4 cm x 83.3 cm x 38.9 cm

Carton Dimensions (WxHxD)
39" x 34-1/2" x 17-1/2"
99.1 cm x 87.6 cm x 44.5 cm

Gross Weight
87 lbs / 39.5 kg

UPC
781052 045804



BF45DXP
45" Deluxe Electric Firebox

Product Dimensions (WxHxD)
44-3/4" x 32-3/4" x 15-1/4"
113.7 cm x 83.3 cm x 38.9 cm

Carton Dimensions (WxHxD)
45-3/4" x 35-1/2" x 17-1/2"
116.3 cm x 90.3 cm x 44.5 cm

Gross Weight
110 lbs / 50 kg

UPC
781052 052390

BF Series



Accessories




Bi-fold Look Glass Door

Fireplace	Model #
BF33DXP - BFDOOR33BLKSM	
BF39DXP - BFDOOR39BLKSM	
BF39STP - BFDOOR39BLKSM	
BF45DXP - BFDOOR45BLKSM	




Glass Door

Fireplace	Model #
BFSL33 - BFSL33DOOR	
BF33DXP - BFGLASS33BLK	
BF39DXP - BFGLASS39BLK	
BF39STP - BFGLASS39BLK	
BF45DXP - BFGLASS45BLK	



Swing Glass Door

Fireplace	Model #
BF33DXP - BFSDOOR33BLK	
BF39DXP - BFSDOOR39BLK	
BF39STP - BFSDOOR39BLK	



Black Trim

Fireplace	Model #
BF33DXP - BF4TRIM33	
BF39DXP - BF4TRIM39	
BF39STP - BF4TRIM39	
BF45DXP - BF4TRIM45	



Plug Kit

BFPLUGE

Compatible with all BF Series fireboxes



Wall Remote

WRCPF-KIT

Compatible with all BF Series fireboxes



Remote Kit

BFRC-KIT

Compatible with BFF33DXP, BFF39DXP, BF39STP and BFF45DXP

Specifications

Fireplace Series	Revillusion® (Premium)					BF Series (Value)				
Model	RBF24DLX/ RBF24DLXWC	RBF30/ RBF30WC	RBF36/ RBF36WC	RBF36P/ RBF36PWC	RBF42/ RBF42WC	BFSL33	BF33DXP	BF39STP	BF39DXP	BF45DXP
Size	24"	30"	36"		42"	33"		39"		45"
Ember Bed	Realogs® Plus					Inner Glow Logs		Hand Finished	Inner Glow Logs	
Flame Only Mode	Yes					Yes				
Heater Only Mode	Yes					Yes - when connected to a switch or thermostat				
Heater Element	Ceramic	Steel Sheathed				Steel Sheathed				
Technology	Revillusion® Flame					Original Dimplex Flame Effect™				
Installation	Built-in					Built-in				
Volts	120	120/208/240				120/208/240				
Wattage	1500	1375/1975/2575				1223/1823/2423	1440/2100/2700			
BTU's	5118	4400/6745/8794				4173/6220/8268	5000/7200/9212			
Wiring	Plug-in	Direct wire / Plug-in				Direct wire / Plug-in				
Heating Range	Up to 1,000 sq. ft.					Up to 1,000 sq. ft.				
Display/Controls	Capacitive touch built-in controls					On Front - inside				
Flame Operation Energy Savings	Low energy LED's that require zero maintenance					LED	N/A			
Heat Operation Energy Savings	ComfortSaver® heating system	Primary-Heat - Option to use 240V supply for up to 8794 BTU				Primary-Heat - Option to use 240V supply for up to 9212 BTU				
Timer	Yes					No				
Interior Surround	Full-brick surround or Weathered concrete (WC) interior					Black	Authentic brick-look interior	Black	Authentic brick-look interior	
Adjustable Flame Speed	N/A					N/A				
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor					N/A				
Color Settings	Adjust flame base color from red to blue					N/A				
Heat Disable	Controls & Hardware Disconnect					Hardware Disconnect Only				
Other Features	Mirage™ Flame Panel, ThruView™ Full-Depth Design	Mirage™ Flame Panel, ThruView™ Full-Depth Design, Optional plug kit available				Optional plug kit available				
Remote Features	Mood-maker Remote					Three-stage remote	Optional three-stage remote available			
Warranty	2-year limited					2-year limited				
Optional Media	Fresh Cut Logs & Birch Logs - Coming Soon					No				
Accessories	RBF24TRIM36, RBF24TRIM40	RBF30TRIM38, RBF30TRIM44, RBFPLUG, RBFGLASS30, RBFDOOR30	RBFPLUG, RBFGLASS36, RBFDOOR36	RBFPLUG, RBFGLASS36P, RBFDOOR36P	RBFPLUG, RBFGLASS42, RBFDOOR42	BFPLUGE, BFSL33DOOR	BFPLUGE, BFGGLASS33BLK, BFD00R33BLKSM, BF4TRIM33, BFRC-KIT, WRCPF-KIT, TS521W	BFPLUGE, BFGGLASS39BLK, BFD00R39BLKSM, BF4TRIM39, BFRC-KIT, WRCPF-KIT, TS521W	BFPLUGE, BFGGLASS45BLK, BFD00R45BLKSM, BF4TRIM45, BFRC-KIT, WRCPF-KIT, TS521W	
Dimensions (WxHxD)	25-1/4" x 22-7/8" x 12-1/8" 64.0 cm x 58.1 cm x 30.7 cm	31-1/4" x 26-5/8" x 12-1/8" 79.2 cm x 67.6 cm x 30.7 cm	37-1/4" x 26-5/8" x 12-1/8" 94.4 cm x 67.6 cm x 30.7 cm	37-1/4" x 31" x 12-1/8" 94.4 cm x 78.7 cm x 30.7 cm	43-1/4" x 31" x 12-1/8" 109.8 cm x 78.8 cm x 30.7 cm	33" x 28-1/4" x 9-1/2" 83.3 cm x 71.9 cm x 24.1 cm	32-3/4" x 28-1/2" x 14-1/4" 83.2 cm x 73.5 cm x 36.3 cm	38-3/4" x 32-3/4" x 15-1/4" 98.4 cm x 83.3 cm x 38.9 cm		44-3/4" x 32-3/4" x 15-1/4" 113.7 cm x 83.3 cm x 38.9 cm

Opti-myst®



Enjoy a lifelike flame and smoke effect created by revolutionary ultrasonic technology using water mist, not steam, making for the world's safest fireplace. The result is an appearance so authentic it will be mistaken for a traditional wood-burning fireplace.

Opti-myst® Pro 1500

Opti-myst® Flame Effect


Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

Supplemental Heat

Includes an effective fan-forced heater to warm up to 400 sq. ft.


Single or Double-sided

Includes removable high-gloss backer panel for easy conversion.



GBF1500-PRO 60" Built-In Electric Firebox Kit

Includes the following:
(Ships in 4 cartons)



Remote Control



CDFI-BX1500 Opti-myst® Pro 1500 Firebox

Product Dimensions (WxHxD)
65" x 31-3/4" x 16-1/4"
165.0 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)
68-3/4" x 36-3/4" x 18-1/8"
174.5 cm x 93.5 cm x 46.0 cm

Gross Weight
111.5 lbs / 50.6 kg

UPC
781052 133709

CDFI1000-PRO Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)
40-1/8" x 9-1/2" x 12"
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
44-1/2" x 13-3/8" x 18-1/8"
113.0 cm x 34.0 cm x 46.0 cm

Gross Weight
35 lbs / 15.87 kg

UPC
781052 112612

CDFI500-PRO Opti-myst® Pro 500 Cassette

Product Dimensions (WxHxD)
20" x 9-1/2" x 12"
50.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
24-3/8" x 13-7/8" x 17-3/4"
62.0 cm x 34.0 cm x 45.0 cm

Gross Weight
24.2 lbs / 10.9 kg

UPC
781052 113053

FG1500 Front Glass Kit

Product Dimensions (WxHxD)
60-3/4" x 15-1/4" x 1-5/8"
154.4 cm x 38.8 cm x 4.1 cm

Carton Dimensions (WxHxD)
71-3/8" x 21-5/8" x 5-1/4"
181.5 cm x 55.0 cm x 13.5 cm

Gross Weight
28.4 lbs / 12.88 kg

UPC
781052 133716

Opti-myst® Pro 1000

Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

Supplemental Heat

Includes an effective fan-forced heater to warm up to 400 sq. ft.

Single or Double-sided

Includes removable high-gloss backer panel for easy conversion.



GBF1000-PRO 40" Built-in Electric Firebox Kit

Includes the following:
(Ships in 3 cartons)



CDFI-BX1000 Opti-myst® Pro 1000 Firebox

Product Dimensions (WxHxD)
46 -5/8" x 31-3/4" x 16-1/4"
118.4 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)
48-1/2" x 37" x 18-1/8"
123.0 cm x 94.0 cm x 46.0 cm

Gross Weight
37 lbs / 81.4 kg

UPC
781052 110618




CDFI1000-PRO Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)
40-1/8" x 9-1/2" x 12"
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
44-1/2" x 13-3/8" x 18-1/8"
113.0 cm x 34.0 cm x 46.0 cm

Gross Weight
35 lbs / 15.87 kg

UPC
781052 112612



FG1000 Front Glass Kit

Product Dimensions (WxHxD)
40-5/8" x 14-1/2" x 1-5/8"
103.0 cm x 36.8 cm x 4.1 cm

Carton Dimensions (WxHxD)
50-5/8" x 20-7/8" x 5-1/8"
128.5 cm x 53.0 cm x 13.0 cm

Gross Weight
19.6 lbs / 8.9 kg

UPC
781052 118379


Remote Control



Opti-myst® Pro Accessories



Accessories



Rear Glass Pane

GBF1000-GLASS
GBF1500-GLASS

Allows for see-through installations



Media Tray

CDFI1000-TRAY
CDFI1500-TRAY

Displays optional media options



**Pro 1000 Log Kit (2 log sets)
Pro 1500 Log Kit (3 log sets)**

CDFILOG-KIT



Black Rock Media

CDFI1000-BLKRCK
CDFI1500-BLKRCK



River Rock Media

CDFI1000-RVRCK
CDFI1500-RVRCK



Direct Plumbing Kit

CDFIPLUMB-KIT



Driftwood Media

CDFI1000-DWSKIT
CDFI1500-DWSKIT

Opti-myst®

Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

Modular Design

Cassettes can be combined in series to achieve the desired length for dramatic linear installations impossible to achieve with gas fires.

Continuous Water Supply

Optional plumbed water supply kit provides continuous operation without refilling water tanks.



DFI400CH
Opti-myst® Cassette

Product Dimensions (WxHxD)
16" x 13" x 8-1/2"
40.5 cm x 33.0 cm x 21.6 cm

Carton Dimensions (WxHxD)
20-1/5" x 23-1/4" x 13-3/8"
51.3 cm x 59.1 cm x 34.0 cm

Gross Weight
27 lbs / 12.3 kg

UPC
781052 096516



DFI400LH
Opti-myst® Cassette - Logs

Product Dimensions (WxHxD)
16" x 13" x 8-1/2"
40.5 cm x 33.0 cm x 21.6 cm

Carton Dimensions (WxHxD)
20-1/5" x 23-1/4" x 13-3/8"
51.3 cm x 59.1 cm x 34.0 cm

Gross Weight
23 lbs / 10.5 kg

UPC
781052 096516



CDFI500-PRO
Opti-myst® Pro 500 Cassette

Product Dimensions (WxHxD)
20" x 9-1/2" x 12"
50.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
24-3/8" x 13-7/8" x 17-3/4"
62.0 cm x 34.0 cm x 45.0 cm

Gross Weight
24.2 lbs / 10.9 kg

UPC
781052 113053



CDFI1000-PRO
Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)
40-1/8" x 9-1/2" x 12"
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)
44-1/5" x 13-3/8" x 18-1/8"
113.0 cm x 34.0 cm x 46.0 cm

Gross Weight
35 lbs / 15.87 kg

UPC
781052 112612

Opti-myst®



Accessories



Log Set

CDFI1000-PRO - CDFILOG-KIT
CDFI500-PRO - CDFILOG



Media Tray

CDFI1000-PRO - CDFI1000-TRAY
CDFI500-PRO - CDFI500-TRAY



Plug Kit

CDFI-PLUGKIT



Direct-wire Heater Accessory

CDFI-TMHEAT



Black Rock Media

CDFI1000-PRO - CDFI1000-BLKRCK
CDFI500-PRO - CDFI500-BLKRCK



River Rock Media

CDFI1000-PRO - CDFI1000-RVRCK
CDFI500-PRO - CDFI500-RVRCK



Driftwood Media

CDFI1000-PRO - CDFI1000-DWSKIT
CDFI500-PRO - CDFI500-DWSKIT

Multi-Fire XD[®]

Multi-Fire XD[™] Flame Effect


Vivid flames that are brighter and more lifelike compared to our previous firebox.

Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode.

ComfortSaver[®] Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



PF2325HG
25" Electric Firebox
Acrylic Ice

Product Dimensions (WxHxD)
25-7/8" x 18-7/8" x 9-1/4"
65.7 cm x 47.9 cm x 23.6 cm

Carton Dimensions (WxHxD)
29-1/4" x 13-3/8" x 21-1/2"
74.2 cm x 34.0 cm x 54.6 cm

Gross Weight
40 lbs / 18.2 kg

UPC
781052 095014



PF2325CG
25" Electric Firebox
Curved Glass Front

Product Dimensions (WxHxD)
25-7/8" x 18-7/8" x 10-5/8"
65.7 cm x 47.9 cm x 27.0 cm

Carton Dimensions (WxHxD)
28-3/4" x 13-3/8" x 25"
73.0 cm x 34.0 cm x 63.6 cm

Gross Weight
41 lbs / 18.6 kg

UPC
781052 095007



PF2325HL
25" Electric Firebox
Realogs[®]

Product Dimensions (WxHxD)
25-7/8" x 18-7/8" x 9-1/4"
65.7 cm x 47.9 cm x 23.6 cm

Carton Dimensions (WxHxD)
29-1/4" x 13-3/8" x 21-1/2"
74.2 cm x 34.0 cm x 54.6 cm

Gross Weight
40 lbs / 18.2 kg

UPC
781052 095021



PF3033HG
33" Electric Firebox
Acrylic Ice

Product Dimensions (WxHxD)
32-7/8" x 23-3/8" x 9-3/8"
83.5 cm x 59.3 cm x 23.8 cm

Carton Dimensions (WxHxD)
38-1/4" x 17" x 29-1/8"
97.0 cm x 43.2 cm x 74.0 cm

Gross Weight
60 lbs / 27.2 kg

UPC
781052 095038



PF3033HL
33" Electric Firebox
Realogs[®]

Product Dimensions (WxHxD)
32-7/8" x 23-3/8" x 9-3/8"
83.5 cm x 59.3 cm x 23.8 cm

Carton Dimensions (WxHxD)
38-1/4" x 17" x 29-1/8"
97.0 cm x 43.2 cm x 74.0 cm

Gross Weight
60 lbs / 27.2 kg

UPC
781052 094857

Multi-Fire XD®



Color Themes

Acrylic Ice



Realogs®



Floating Display



Remote Control





RLG20
20" Revillusion
Log Set

Shown with
optional ash mat
(not included)
REM-KIT



RLG20BR
20" Revillusion
Log Set
Birch Logs



RLG20FC
20" Revillusion
Log Set
Fresh Cut Logs



RLG25
25" Revillusion
Log Set



RLG25BR
25" Revillusion
Log Set
Birch Logs



RLG25FC
25" Revillusion
Log Set
Fresh Cut Logs



RBF24DLXWC
24" Revillusion®
Fireplace Insert
Shown in
Weathered Concrete

Also available in
Herringbone
RBF24DLX

Trim sold separately, includes front glass



RBF30
30" Revillusion®
Fireplace Insert
Shown in
Herringbone


Also available in
Weathered Concrete
RBF30WC

Trim sold separately



DFI2310
23" Electric
Fireplace Insert

Accessories



Installation Trims

RBF24 - 36" Installation Trim
RBF24TRIM36
- 40" Installation Trim
RBF24TRIM40

RBF30 - 38" Installation Trim
RBF30TRIM38
44" Installation Trim
RBF30TRIM44



RBFGLASS30
Front Glass Pane
for RBF30



DFI23TRIMX
Trim Kit for
DFI2310



Proudly Australian, Nectre wood-fired ovens are designed and manufactured with more than 40 years of knowledge and expertise in the wood heating business. We take pride in the quality and integrity of our products and continue to find new production techniques to produce the best technology and design.

At Nectre, we develop the next generation of efficient, low emission wood heaters. We keep steadily improving our stove designs as well as production techniques with steel - now laser cut and manufactured with state-of-the-art robotic welding technology. The result is products that are built to perform at the highest standards, yet ultimately meet the most important criteria: providing people with warmth and home comfort.

N65 Wood Stove

Stylish and Powerful


High heat output and European design make the N65 the perfect blend of form and function.

EPA Certified

Meets EPA 2020 New Source Performance Standards.

Quality

Steel baffle with steel brick retainer and firebrick lining to improve thermal mass.





N65 Wood Stove

Product Dimensions (WxHxD)
22-7/8" x 40-7/8" x 19-1/4"
58.1 cm x 103.7 cm x 48.5 cm

BTU
68,500

Weight
419 lbs / 190 kg





WOOD-FIRED OVENS

N350 / N550 Wood-fired Oven

Convection Cooking

Close the flue bypass dampener to create convection-like heating that improves cooking performance.

Construction

Cast iron doors and ceramic glass.

Thermometer

Oven temperatures supplied with both a °F and °C thermometer.



**N350
Wood-fire Oven**

Product Dimensions (WxHxD)
21-5/8" x 34" x 21"
54.9 cm x 86.4 cm x 53.3 cm

BTU
30,000

Weight
265 lbs / 120.2 kg

**N350W
Wood-fire Oven
(with water jacket)**



**N550
Wood-fire Oven**

Product Dimensions (WxHxD)
26-5/8" x 33" x 19-5/8"
67.6 cm x 83.8 cm x 49.7 cm

BTU
65,000

Weight
465 lbs / 210.9 kg

**N550W
Wood-fire Oven
(with water jacket)**

GlenDimplex[®]

AMERICAS

Enhancing the moments that matter in life

Dimplex[®]

www.dimplex.com



CADET

www.cadetheat.com



nectre[®]

www.nectreusa.com



www.beaubow168.com

總代理：台灣虹麗企業有限公司

服務電話：(04) 7721501 . 0935-396358

展示中心：台中市西屯區大墩20街116號3F-2 (歡迎預約參觀)